

Certificate of Product Approval

Certificate Number: 1066a

Issue: 02

Prestige Fire Door Services Limited

28 Waterfront Business Park
Fleet
Hampshire
GU51 3QT



is authorised to use the LPCB mark in association with the product(s) listed in this certificate and appendix having complied with the requirements of the standard(s) detailed below:

Products

Prestige Secure 1
Prestige Secure 2
hinged security doorsets

Standards

LPS 1175: Issue 7
Requirements and testing procedures for the LPCB approval and listing of intruder resistant building components, strongpoints, security enclosures and free-standing barriers

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.

Paul Dillon
Verifier

17 June 2019
Date of Issue

28 November 2018
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



Appendix to Certificate No: 1066a Prestige Fire Door Services Limited

Issue: 02

Hinged Security Doorsets

Product Name	Type	Minimum Structural Opening Height (m)	Maximum Structural Opening Height (m)	Minimum Structural Opening Width (m)	Maximum Structural Opening Width (m)	Security Rating	LPCB Ref. No.
Prestige Secure 1	Single leaf inward opening hinged security doorset	0.5	2.085	0.4	1.015	1	1066a/02
	Single leaf outward opening hinged security doorset	0.5	2.085	0.4	1.015	1	
Prestige Secure 2	Single leaf inward opening hinged security doorset	0.5	2.085	0.4	1.015	2	1066a/01
	Single leaf outward opening hinged security doorset	0.5	2.085	0.4	1.015	2	

Approved Locking Configurations

Product Name	Type	Compatible Locking Systems
Prestige Secure 1	Single leaf inward opening hinged security doorset	3, 4, 5, 8, 9, 10, 17, 18, 19, 22
	Single leaf outward opening hinged security doorset	1 to 22
Prestige Secure 2	Single leaf inward opening hinged security doorset	3, 4, 5, 8, 9, 10, 17, 18, 19, 22
	Single leaf outward opening hinged security doorset	1 to 22

Compatible Locking Systems

Compatible Locking System	Manufacturer	Model	Type	Compatible Operating Devices		Compatible Cylinders
				External Face	Internal Face	
1	Tindall Engineering Limited	Modula AD1 SATE / LSCH2	Single point morticed locking system with automatic deadlock	Key and lever handle	Push pad	CM to EE
2	Tindall Engineering Limited	Modula AD2 SATE / LSCH2	Single point morticed locking system with automatic deadlock	Key and lever handle	Panic bar	CM to EE
3	Tindall Engineering Limited	Modula AD3	Single point morticed locking system with automatic deadlock	None	Lever handle deadlocked via key or thumbturn	N/A

This certificate and appendix is maintained and held in force through regular surveillance activities

P. Dillon

Signed for BRE Global Ltd.

Paul Dillon
Verifier

17 June 2019
Date of Issue

28 November 2018
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



bre

Appendix to Certificate No: 1066a Prestige Fire Door Services Limited

Issue: 02

Compatible Locking System	Manufacturer	Model	Type	Compatible Operating Devices		Compatible Cylinders
				External Face	Internal Face	
4	Tindall Engineering Limited	Modula AD3 / LSCH2	Single point morticed locking system with automatic deadlock	Key and lever handle	Lever handle deadlocked via key or thumbturn	A to CL
5	Tindall Engineering Limited	Modula AD3 SATE / LSCH2	Single point morticed locking system with automatic deadlock	Key and lever handle	Lever handle	CM to EE
6	Tindall Engineering Limited	Modula EM1 SATE / LSCH2	Single point morticed electromechanical locking system with automatic deadlock ¹	Access control with key override and lever handle	Push pad	CM to EE
7	Tindall Engineering Limited	Modula EM2 SATE / LSCH2	Single point morticed electromechanical locking system with automatic deadlock ¹	Access control with key override and lever handle	Panic bar	CM to EE
8	Tindall Engineering Limited	Modula EM3	Single point morticed electromechanical locking system with automatic deadlock ¹	None	Access control with key or thumbturn override and lever handle	N/A
9	Tindall Engineering Limited	Modula EM3 / LSCH2	Single point morticed electromechanical locking system with automatic deadlock ¹	Key and lever handle	Access control with key or thumbturn override and lever handle	A to CL
10	Tindall Engineering Limited	Modula EM3 SATE / LSCH2	Single point morticed electromechanical locking system with automatic deadlock ¹	Access control with key override and lever handle ¹	Lever handle	CM to EE
11	Tindall Engineering Limited	Modula MD1	Single point morticed locking system with manual deadlock	None	Push pad deadlocked via key or thumbturn	N/A
12	Tindall Engineering Limited	Modula MD1 / LSCH2	Single point morticed locking system with manual deadlock	Key and lever handle	Push pad deadlocked via key or thumbturn	A to CL
13	Tindall Engineering Limited	Modula MD1 SATE / LSCH2	Single point morticed locking system with manual deadlock	Key and lever handle	Push pad	CM to EE

This certificate and appendix is maintained and held in force through regular surveillance activities

P. Dillon

Signed for BRE Global Ltd.

Paul Dillon

Verifier

17 June 2019

Date of Issue

28 November 2018

Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



bre

Appendix to Certificate No: 1066a Prestige Fire Door Services Limited

Issue: 02

Compatible Locking System	Manufacturer	Model	Type	Compatible Operating Devices		Compatible Cylinders
				External Face	Internal Face	
14	Tindall Engineering Limited	Modula MD2	Single point morticed locking system with manual deadlock	None	Full width push plate deadlocked via key or thumbturn	N/A
15	Tindall Engineering Limited	Modula MD2 / LSCH2	Single point morticed locking system with manual deadlock	Key and lever handle	Full width push plate deadlocked via key or thumbturn	A to CL
16	Tindall Engineering Limited	Modula MD2 SATE / LSCH2	Single point morticed locking system with manual deadlock	Key and lever handle	Panic bar	CM to EE
17	Tindall Engineering Limited	Modula MD3	Single point morticed locking system with manual deadlock	None	Lever handle deadlocked via key or thumbturn	N/A
18	Tindall Engineering Limited	Modula MD3 / LSCH2	Single point morticed locking system with manual deadlock	Key and lever handle	Lever handle deadlocked via key or thumbturn	A to CL
19	Tindall Engineering Limited	Modula MD3 SATE / LSCH2	Single point morticed locking system with manual deadlock	Key and lever handle	Lever handle	CM to EE
20	Tindall Engineering Limited	Modula PE1	Single point morticed emergency exit locking system	None	Push pad	N/A
21	Tindall Engineering Limited	Modula PE2	Single point morticed panic exit locking system	None	Panic bar	N/A
22	Tindall Engineering Limited	Modula PE3	Single point morticed emergency exit locking system	None	Lever handle	N/A

Compatible Cylinders

Cylinder Reference	Manufacturer	Model	Type	'Plus' Rating ²
A	Abloy	Protec CY305-PT	Europrofile double (key:thumb)	+
B	Abloy	Protec CY309-PT	Europrofile double (key:thumb)	+

This certificate and appendix is maintained and held in force through regular surveillance activities

P. Dillon

Signed for BRE Global Ltd.

Paul Dillon
Verifier

17 June 2019
Date of Issue

28 November 2018
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



bre

Appendix to Certificate No: 1066a Prestige Fire Door Services Limited

Issue: 02

Cylinder Reference	Manufacturer	Model	Type	'Plus' Rating ²
C	Abloy	Protec CY319-PT	Europrofile double (key:thumb)	+
D	Abloy	Protec CY323-PT	Europrofile double (key:thumb)	+
E	Abloy	Protec CY328-PT	Europrofile double (key:thumb)	+
F	Abloy	Protec CY333-PT	Europrofile double (key:thumb)	+
G	Abloy	Protec CY338-PT	Europrofile double (key:thumb)	+
H	Abloy	Protec2 CY323-TT	Europrofile double (key:thumb)	+
I	Abloy	Protec2 CY328-TT	Europrofile double (key:thumb)	+
J	Abloy	Protec2 CY333-TT	Europrofile double (key:thumb)	+
K	Abloy	Protec2 CY338-TT	Europrofile double (key:thumb)	+
L	Abloy	Protec Cliq / Cliq Remote CY305-PT-CLIQ	Europrofile double (key:thumb) (Mechatronic) ³	+
M	Abloy	Protec Cliq / Cliq Remote CY333-PT-CLIQ	Europrofile double (key:thumb) (Mechatronic) ³	+
N	Abloy	Protec2 Cliq / Cliq Remote CY333-TT-CLIQ	Europrofile double (key:thumb) (Mechatronic) ³	+
O	Abloy	Disklock Pro CY305-DP	Europrofile double (key:thumb)	+
P	Abloy	Disklock Pro CY309-DP	Europrofile double (key:thumb)	+
Q	Abloy	Disklock Pro CY319-DP	Europrofile double (key:thumb)	+
R	Abloy	Disklock Pro CY323-DP	Europrofile double (key:thumb)	+
S	Abloy	Disklock Pro CY328-DP	Europrofile double (key:thumb)	+
T	Abloy	Disklock Pro CY333-DP	Europrofile double (key:thumb)	+
U	Abloy	Disklock Pro CY338-DP	Europrofile double (key:thumb)	+
V	Abloy	Novel CY323-VL	Europrofile double (key:thumb)	+
W	Abloy	Novel CY328-VL	Europrofile double (key:thumb)	+
X	Abloy	Novel CY333-VL	Europrofile double (key:thumb)	+
Y	Abloy	Novel CY338-VL	Europrofile double (key:thumb)	+
Z	Access2	Tigris Omega	Europrofile double (key:thumb)	+
AA	Access2	Tigris Plus	Europrofile double (key:thumb)	-
AB	Access2	Tigris Premier	Europrofile double (key:thumb)	+
AC	Access2	Tigris Premier2	Europrofile double (key:thumb)	+
AD	Access2	Tigris Premier3	Europrofile double (key:thumb)	+
AE	Acsys	BL	Europrofile double (key:thumb)	+
AF	ASSA	4427dp	Europrofile double (key:thumb)	+
AG	ASSA	44M27 Cliq / Cliq Remote	Europrofile double (key:thumb) (Mechatronic) ³	+

This certificate and appendix is maintained and held in force through regular surveillance activities

P. Dillon

Signed for BRE Global Ltd.

Paul Dillon
Verifier

17 June 2019
Date of Issue

28 November 2018
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



bre

Appendix to Certificate No: 1066a Prestige Fire Door Services Limited

Issue: 02

Cylinder Reference	Manufacturer	Model	Type	'Plus' Rating ²
AH	ASSA	4827	Europrofile double (key:thumb)	-
AI	ASSA	C5827	Europrofile double (key:thumb)	+
AJ	ASSA	7627	Europrofile double (key:thumb)	-
AK	Kaba	experT	Europrofile double (key:thumb)	+
AL	Kaba	Gege RAM	Europrofile double (key:thumb)	+
AM	Kaba	Gege pExtra	Europrofile double (key:thumb)	+
AN	Kaba	Quattro Plus	Europrofile double (key:thumb)	+
AO	KESO	40005	Europrofile double (key:thumb)	+
AP	Locken/ISEO	LSMA830309M	Europrofile double (key:thumb)	+
AQ	Medeco	M3-ARX	Europrofile double (key:thumb)	+
AR	Surelock McGill	CY-ET	Europrofile double (key:thumb)	+
AS	Winkhaus	VS6	Europrofile double (key:thumb)	-
AT	Abloy	Protec CY304-PT	Europrofile double (key:key)	+
AU	Abloy	Protec CY308-PT	Europrofile double (key:key)	+
AV	Abloy	Protec CY318-PT	Europrofile double (key:key)	+
AW	Abloy	Protec CY322-PT	Europrofile double (key:key)	+
AX	Abloy	Protec CY327-PT	Europrofile double (key:key)	+
AY	Abloy	Protec CY332-PT	Europrofile double (key:key)	+
AZ	Abloy	Protec CY337-PT	Europrofile double (key:key)	+
BA	Abloy	Protec2 CY322-TT	Europrofile double (key:key)	+
BB	Abloy	Protec2 CY327-TT	Europrofile double (key:key)	+
BC	Abloy	Protec2 CY332-TT	Europrofile double (key:key)	+
BD	Abloy	Protec2 CY337-TT	Europrofile double (key:key)	+
BE	Abloy	Protec Cliq / Cliq Remote CY304-PT-CLIQ	Europrofile double (key:key) (Mechatronic) ³	+
BF	Abloy	Protec Cliq / Cliq Remote CY332-PT-CLIQ	Europrofile double (key:key) (Mechatronic) ³	+
BG	Abloy	Protec2 Cliq / Cliq Remote CY332-TT-CLIQ	Europrofile double (key:key) (Mechatronic) ³	+
BH	Abloy	Disklock Pro CY304-DP	Europrofile double (key:key)	+
BI	Abloy	Disklock Pro CY308-DP	Europrofile double (key:key)	+
BJ	Abloy	Disklock Pro CY318-DP	Europrofile double (key:key)	+
BK	Abloy	Disklock Pro CY322-DP	Europrofile double (key:key)	+
BL	Abloy	Disklock Pro CY327-DP	Europrofile double (key:key)	+

This certificate and appendix is maintained and held in force through regular surveillance activities

P. Dillon

Signed for BRE Global Ltd.

Paul Dillon

Verifier

17 June 2019

Date of Issue

28 November 2018

Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



bre

Appendix to Certificate No: 1066a Prestige Fire Door Services Limited

Issue: 02

Cylinder Reference	Manufacturer	Model	Type	'Plus' Rating ²
BM	Abloy	Disklock Pro CY332-DP	Europrofile double (key:key)	+
BN	Abloy	Disklock Pro CY337-DP	Europrofile double (key:key)	+
BO	Abloy	Novel CY322-VL	Europrofile double (key:key)	+
BP	Abloy	Novel CY327-VL	Europrofile double (key:key)	+
BQ	Abloy	Novel CY332-VL	Europrofile double (key:key)	+
BR	Abloy	Novel CY337-VL	Europrofile double (key:key)	+
BS	Access2	Tigris Omega	Europrofile double (key:key)	+
BT	Access2	Tigris Plus	Europrofile double (key:key)	-
BU	Access2	Tigris Premier	Europrofile double (key:key)	+
BV	Access2	Tigris Premier2	Europrofile double (key:key)	+
BW	Access2	Tigris Premier3	Europrofile double (key:key)	+
BX	Acsys	DL	Europrofile double (key:key)	+
BY	ASSA	4422dp	Europrofile double (key:key)	+
BZ	ASSA	44M22 Cliq / Cliq Remote	Europrofile double (key:key) (Mechatronic) ³	+
CA	ASSA	4822	Europrofile double (key:key)	-
CB	ASSA	C5822	Europrofile double (key:key)	+
CC	ASSA	7622	Europrofile double (key:key)	-
CD	Kaba	experT	Europrofile double (key:key)	+
CE	Kaba	Gege RAM	Europrofile double (key:key)	+
CF	Kaba	Gege pExtra	Europrofile double (key:key)	+
CG	Kaba	Quattro Plus	Europrofile double (key:key)	+
CH	KESO	4000S	Europrofile double (key:key)	+
CI	Locken/SEO	LMSA030309M	Europrofile double (key:key)	+
CJ	Medeco	M3-ARX	Europrofile double (key:key)	+
CK	Surelock McGill	CY-ED	Europrofile double (key:key)	+
CL	Winkhaus	V56	Europrofile double (key:key)	-
CM	Abloy	Protec CY303-PT	Europrofile single	+
CN	Abloy	Protec CY307-PT	Europrofile single	+
CO	Abloy	Protec CY317-PT	Europrofile single	+
CP	Abloy	Protec CY321-PT	Europrofile single	+
CQ	Abloy	Protec CY326-PT	Europrofile single	+

This certificate and appendix is maintained and held in force through regular surveillance activities

P. Dillon

Signed for BRE Global Ltd.

Paul Dillon
Verifier

17 June 2019
Date of Issue

28 November 2018
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



bre

Appendix to Certificate No: 1066a Prestige Fire Door Services Limited

Issue: 02

Cylinder Reference	Manufacturer	Model	Type	'Plus' Rating ²
CR	Abloy	Protec CY331-PT	Europrofile single	+
CS	Abloy	Protec CY336-PT	Europrofile single	+
CT	Abloy	Protec2 CY321-TT	Europrofile single	+
CU	Abloy	Protec2 CY326-TT	Europrofile single	+
CV	Abloy	Protec2 CY331-TT	Europrofile single	+
CW	Abloy	Protec2 CY336-TT	Europrofile single	+
CX	Abloy	Protec Cliq / Cliq Remote CY303-PT-CLIQ	Europrofile single (Mechatronic) ³	+
CY	Abloy	Protec Cliq / Cliq Remote CY331-PT-CLIQ	Europrofile single (Mechatronic) ³	+
CZ	Abloy	Protec2 Cliq / Cliq Remote CY331-TT-CLIQ	Europrofile single (Mechatronic) ³	+
DA	Abloy	Disklock Pro CY303-DP	Europrofile single	+
DB	Abloy	Disklock Pro CY307-DP	Europrofile single	+
DC	Abloy	Disklock Pro CY317-DP	Europrofile single	+
DD	Abloy	Disklock Pro CY321-DP	Europrofile single	+
DE	Abloy	Disklock Pro CY326-DP	Europrofile single	+
DF	Abloy	Disklock Pro CY331-DP	Europrofile single	+
DG	Abloy	Disklock Pro CY336-DP	Europrofile single	+
DH	Abloy	Novel CY321-VL	Europrofile single	+
DI	Abloy	Novel CY326-VL	Europrofile single	+
DJ	Abloy	Novel CY331-VL	Europrofile single	+
DK	Abloy	Novel CY336-VL	Europrofile single	+
DL	Access2	Tigris Omega	Europrofile single	+
DM	Access2	Tigris Plus	Europrofile single	-
DN	Access2	Tigris Premier	Europrofile single	+
DO	Access2	Tigris Premier2	Europrofile single	+
DP	Access2	Tigris Premier3	Europrofile single	+
DQ	Acsys	SL	Europrofile single	+
DR	ASSA	4423	Europrofile single	+
DS	ASSA	44M23 Cliq / Cliq Remote	Europrofile single (Mechatronic) ³	+
DT	ASSA	4823	Europrofile single	-
DU	ASSA	C5823	Europrofile single	+
DV	ASSA	7623	Europrofile single	-

This certificate and appendix is maintained and held in force through regular surveillance activities

P. Dillon

Signed for BRE Global Ltd.

Paul Dillon
Verifier

17 June 2019
Date of Issue

28 November 2018
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



bre

Appendix to Certificate No: 1066a Prestige Fire Door Services Limited

Issue: 02

Cylinder Reference	Manufacturer	Model	Type	'Plus' Rating ²
DW	Kaba	experT	Europrofile single	+
DX	Kaba	Gege RAM	Europrofile single	+
DY	Kaba	Gege pExtra	Europrofile single	+
DZ	Kaba	Quattro PluS	Europrofile single	+
EA	KESO	4000S	Europrofile single	+
EB	Locken/SEO	LMSA030109M	Europrofile single	+
EC	Medeco	M3-ARX	Europrofile single	+
ED	Surelock McGill	CY-ES	Europrofile single	+
EE	Winkhaus	VS6	Europrofile single	-

Compatible Optional Feature / Accessory

Accessory	Description
Drop seal	Automatic drop seal

Notes:

- Fail secure only. The resistance of access control locks to "non-mechanical" attack has not been assessed because it is outside the scope of LPS 1175. Likewise, the assessment does not cover possible effects of any susceptibilities relating to the functionality and performance of any access control equipment that may be used to operate these locking systems. This is because the scope of access control devices and system configurations that may be used with these locking systems is "infinite". It is therefore recommended that specifiers satisfy themselves that the components used are either resistant to mechanical and other forms of tampering/abuse, or that they are suitably protected from such tampering/abuse and are resistant to any environmental conditions/interference that may cause the locking system to disengage.
- A 'Plus' rating demonstrates the cylinder meets the requirements defined in Annex A of BS 3621:2007 or manipulation resistance class '1' defined in LPS 1242: Issue 2.
- The resistance of the mechatronic cylinders to "non-mechanical" attack has not been assessed. This is because it is outside the scope of LPS 1175: Issue 7. Likewise, the approval does not cover possible effects of any susceptibilities relating to the functionality and performance of ancillary equipment that may be used in conjunction with those cylinders. It is therefore recommended that specifiers satisfy themselves that the components used are either resistant to electronic methods of attack, or that they are suitably protected from such tampering/abuse and are resistant to any environmental conditions/interference that may cause the locking system to disengage.
- Certification does not cover the use of locks other than those listed above. Utilisation of unlisted locks may affect the level of security offered by the doorset.

This certificate and appendix is maintained and held in force through regular surveillance activities

P. Dillon

Signed for BRE Global Ltd.

Paul Dillon

Verifier

17 June 2019

Date of Issue

28 November 2018

Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



bre